·	T	<u> </u>
	Application No.	Applicant(s)
Notice of Allowability	10/625,762	BANERJEE ET AL.
	Examiner	Art Unit
	Dionne Walls Mayes	1731
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
1. This communication is responsive to the amendment filed	<u>on 11/13/06</u> .	
2. The allowed claim(s) is/are <u>19-42 and 57-71</u> .		
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	e been received. e been received in Application No.	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		0-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☒ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the	Office action of
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		·
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal 6. ☐ Interview Summar Paper No./Mail D 7. ☒ Examiner's Amend 8. ☒ Examiner's Staten 9. ☐ Other	y (PTO-413), ate

Application/Control Number: 10/625,762

Art Unit: 1731

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

IN THE CLAIMS:

Claim 19, line 6, "head" has been changed to - -heat - -.

Claim 21, line 1, "stopper" has been changed to - -abutment - -.

Claim 41, line 9, "seal" has been changed to - -partition - -.

2. The following is an examiner's statement of reasons for allowance: The closest prior art of record, Bannerjee (5285798) does not teach or suggest a smoking article or a method of heating tobacco in a smoking article having the claimed chemical heat source/heat cartridge claimed, in combination with tobacco.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. The drawings filed on 7/22/2003 appear to be informal drawings. Formal drawings in compliance with 37 CFR 1.121(d) are required. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S.

Art Unit: 1731

Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dionne Walls Mayes whose telephone number is (571) 272-1195. The examiner can normally be reached on Mon-Fri, 7AM - 4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven P. Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Dionne Walls Mayes
Primary Examiner

Art Unit 1731